Receipt date: 05/27/2010

Examiner

PTO/SB/08a (07-09)

Approved for use through 07/31/2012. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Trace of the profile profile prof

| Onder the  | - aparticul rocario    |               | porderio are regenec | to respond to a semestrar at manne | Bon direct it contains a raise cons control named. |  |
|------------|------------------------|---------------|----------------------|------------------------------------|--|--|
| Substitute | for form 1449A/P       | то            |                      | Complete if Known                  |  |  |
|            |                        |               |                      | Application Number                 | 10/534,411   |  |
|            | RMATION                |               |                      | Filing Date                        | 05-11-05   |  |
| STAT       | STATEMENT BY APPLICANT |               |                      | First Named Inventor               | Michio Tsuyumoto                                   |  |
|            |                        |               |                      | Art Unit                           | 1787   |  |
|            | (Use as many sh        | eets as neces | sary)                | Examiner Name                      | A. DESAI   |  |
| Sheet      | 1                      | of            | 1                    | Attorney Docket Number             | 3273-0202PUS1                                      |  |

|                       |               |   | U.S. P                         | ATENT DOCUMENTS                                    |   |
|-----------------------|---------------|---|--------------------------------|--|---|
| Examiner<br>Initial * | Cite<br>No. 1 | Document Number  Number - Kind Code <sup>2</sup> (if known) | Publication Date<br>MM-DD-YYYY | Name of Patentee or<br>Applicant of Cited Document | Pages, columns, Lines, Where<br>Relevant Passages or Relevant<br>Figures Appear |
|                       | 1             | US-6,596,406-B2   | 07-22-2003                     | Nitto Denko Corporation                            |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       | -             |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       | -             |   |                                |  |   |
|                       |               |   |                                |  |   |
|                       |               |   |                                |  |   |

|                   |               |  | FO            | REIGN PATENT                   | DOCUMENTS  |  |    |
|-------------------|---------------|--|---------------|--------------------------------|--|--|----|
| Examiner Cite No. | Cite<br>No. 1 | Foreign Patent Document  Country <sup>3</sup> Number <sup>4</sup> Kind Code (if known) <sup>5</sup> Code |               | Publication Date<br>MM-DD-YYYY | Name of Patentee or Applicant of Cited<br>Document | Pages, columns, Lines,<br>Where Relevant<br>Pesseges or Relevant<br>Figures Appear | т6 |
|                   | 2             | JP   | 2002-208781-A | 07-26-2002                     | Nitto Denko Corp.                                  |  | x  |
|                   |               |  |               |                                |  | ļ  | +- |
|                   |               |  |               |                                |  |  | +- |
|                   |               |  |               |                                | 4  |  |    |
|                   |               |  |               |                                |  |  | _  |
|                   |               |  |               |                                |  | <u> </u>   | +- |
|                   |               |  |               |                                | <del> </del>                                       | <del> </del>   | +  |
|                   | _             |  |               |                                |  |  |    |

Signature /Anish Desai/ Considered U0//06/2010

\*\*PDAMMEE Initial if reference considered, whereir or not distrion is in conformance with MPEP 600. Draw time through classion if not in conformance and not Considered. Include of this form with next communication to applicant.

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assisstance in completing the form, call 1-800-PTO-9199 (1-800-786,9199) and select option 2.

Date

06/08/2010

<sup>1.</sup> Applicant's unique citation designation number (optional) 2. See Kinds codes of USPTO patent Documents, at www.uspto.gov or MPEP 901.04.

<sup>3.</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3.) 4. For Japanese patient documents, the indication of the year of the reign of the Engenor must precede the serial number of the patient document. 5. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.1 for if possible, 6. Applicant is to place and endex mark their Inflight Insignage Transition is statistical.

This collection of information is required by 37 CPR 1.67 and 1.58. The information is required to obtain or retain a benefit by the public which is to fill can'd by the USPTO to proceed any application. Confedentiality is reported by 50 LISS. 1.22 and 37 CPR 1.14 for its collection is estimated to take 3 hours to complete, including againsting preparing and submitting the considered application from the USPTO. Then will vary depending uson the individual case. Any comments on the amount of time you require Poly. Confedential and the USPTO. The value of the Value of the USPTO. The Value of the Value of the USPTO. The Value of the USPTO. The Value of the Value of the Value of the Value of the V